| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S1 | 3527 | 709/244.ccls. 709/224.ccls. 709/217.ccls | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/03/15 10:36 |
| S2 | 661 | remote$3 near2 (data adj process$5 adj system) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/10 14:19 |
| S3 | 2272264 | (data or file or document) receiver and remote adj software adj module$2 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/10 14:21 |
| S4 | 661 | S2 and S3 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/10 14:22 |
| S7 | 14 | (fault or error) adj detector and (feedback adj generat$3) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/10 14:26 |
| S9 | 1453 | (feedback adj generat$3) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/10 14:28 |
| S11 | 24 | status adj reporter | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/10 14:27 |
| S13 | 124 | S2 and ((management adj system) or (monitor$5 adj system)) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/10 14:32 |
| S15 | 53 | S13 and identifier$2 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/10 14:33 |
| S16 | 1 | "5237677".pn. | USPAT | OR | OFF | 2004/11/10 15:04 |
| S17 | 5 | feedback adj generat$5 and remote$3 adj software | US-PGPUB; USPAT | OR | OFF | 2004/11/12 11:19 |
| S18 | 5 | (feedback adj generat$5) and (remote$3 adj software) | US-PGPUB; USPAT | OR | OFF | 2004/11/12 11:19 |
| S19 | 1451 | (feedback adj generat$3) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/12 11:20 |
| S20 | 2 | S19 and (remote$3 adj data adj process$5 ) | USPAT | OR | OFF | 2004/11/12 11:45 |
| S21 | 5 | S19 and status adj code | USPAT | OR | OFF | 2004/11/12 11:45 |
| S22 | 1 | ((fault adj detector) near3 identif$4) and (first adj stage or second adj stage) | US-PGPUB; USPAT | OR | OFF | 2004/11/12 12:12 |
| S23 | 31 | ((fault adj detector) near3 identif$4) | US-PGPUB; USPAT | OR | OFF | 2004/11/12 12:17 |
| S24 | 1 | ((fault adj detector) near3 identif$4) and software adj component | US-PGPUB; USPAT | OR | OFF | 2004/11/12 12:13 |

| S25 | 11 | (fault adj detector) and software adj component | US-PGPUB; USPAT | OR | OFF | 2004/11/12 12:15 |
|-----|-----|-----|-----|-----|-----|-----|
| S26 | 234 | (fault adj detector) and stages | US-PGPUB; USPAT | OR | OFF | 2004/11/12 12:53 |
| S27 | 3533 | 709/244.ccls. 709/224.ccls. 709/217.ccls | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/12 12:15 |
| S28 | 2 | S26 and S27 | US-PGPUB; USPAT | OR | OFF | 2004/11/12 12:15 |
| S29 | 5 | S23 and output and faulty | US-PGPUB; USPAT | OR | OFF | 2004/11/12 12:18 |
| S30 | 9229 | fault$3 near3 detect$4 and software | US-PGPUB; USPAT | OR | OFF | 2004/11/12 12:20 |
| S31 | 26 | (fault$3 near3 detect$4) same (software adj component) | US-PGPUB; USPAT | OR | OFF | 2004/11/12 12:36 |
| S32 | 2 | (fault$3 near3 detect$4) same (software adj stage) | US-PGPUB; USPAT | OR | OFF | 2004/11/12 12:36 |
| S33 | 14 | (fault or error) adj detector and (feedback adj generat$3) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/12 12:36 |
| S34 | 2 | (fault adj detector) and software adj stage$2 | US-PGPUB; USPAT | OR | OFF | 2004/11/12 12:54 |
| S35 | 1383 | (fault adj detector) and (input and output) | US-PGPUB; USPAT | OR | OFF | 2004/11/12 12:54 |
| S36 | 1 | (fault adj detector) and logical adj path | US-PGPUB; USPAT | OR | OFF | 2004/11/12 12:56 |
| S37 | 1 | (fault adj detector) and logical adj path | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/12 12:56 |
| S38 | 16783 | (fault near3 detect$5) and data | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/12 12:58 |
| S39 | 10909 | S38 and input and output | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/12 12:57 |
| S40 | 1968026 | S39 and logical connection$2 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/12 12:57 |
| S41 | 378 | (fault near3 detect$5) and data adj message | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/12 12:58 |
| S42 | 387204 | S41 and component$2 or module$2 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/12 12:59 |
| S43 | 303 | S41 and component$2 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/12 12:59 |

| S44 | 25 | S43 and fault$3 near3 software | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/12 13:43 |
|-----|-----|-----|-----|-----|-----|-----|
| S45 | 11 | fault near3 detect$5 same data adj message | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2004/11/12 14:42 |
| S46 | 1 | "5740354".pn. | US-PGPUB; USPAT | OR | OFF | 2004/11/12 14:43 |
| S47 | 1 | "5938732".pn. | US-PGPUB; USPAT | OR | OFF | 2004/11/12 14:44 |
| S48 | 1 | "6351824".pn. | US-PGPUB; USPAT | OR | OFF | 2004/11/12 14:46 |
| S49 | 1 | "6145001".pn. | US-PGPUB; USPAT | OR | OFF | 2004/11/12 14:47 |
| S50 | 68586 | (fault or error ) adj2 detect$2 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/14 17:55 |
| S51 | 497 | S50 and (data or message) near3 (flow$1 or pass$3) with software | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/14 18:49 |
| S52 | 11508 | detect$3 with (data or message) with flow$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/14 17:58 |
| S53 | 35 | S51 and S52 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/14 18:42 |
| S54 | 52772 | fault with detect$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/14 18:43 |
| S55 | 475442 | detect with fault with remote software | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/14 18:43 |

| S56 | 1 | detect with fault with (remote adj software) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/14 18:44 |
|---|---|---|---|---|---|---|
| S57 | 15 | detect$3 with flow with( data adj message) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/14 18:45 |
| S58 | 711 | remote$3 near2 (data adj process$5 adj system) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/03/15 10:36 |
| S59 | 2 | S58 and fault adj detector | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/03/15 10:42 |
| S60 | 3864 | 709/244.ccls. 709/224.ccls. 709/217.ccls | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/03/15 10:42 |
| S61 | 5 | S60 and fault adj detector | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/03/15 10:44 |
| S62 | 2752 | fault adj detector | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/03/15 10:44 |
| S63 | 38 | S62 and (data or message) with (pass$3 or flow$3) with module$1 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/03/15 10:49 |
| S64 | 29 | identify$3 with ((bad or fault$2 or deficient ) adj2 software) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 12:58 |
| S65 | 2 | "5938732".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 13:01 |
| S66 | 2 | "6125390".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 13:06 |

| S67 | 2 | "5961596".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 13:08 |
|---|---|---|---|---|---|---|
| S68 | 2 | "5964839".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 13:09 |
| S69 | 2 | "6055493".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 13:12 |
| S70 | 979 | (block$1 or disrupt$1) adj2 (data adj2 flow) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 13:13 |
| S71 | 0 | S70 and identify$3 adj2 ((bad or fault$2) adj2 software ) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 13:14 |
| S72 | 0 | S70 and identify$3 adj2 ((bad or fault$2) adj2 (software or module) ) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 13:15 |
| S73 | 0 | S70 and fault$3 adj2 detector | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 13:15 |
| S74 | 161 | S70 and fault$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 14:15 |

| S75 | 0 | (generalized adj cube).ti. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 14:20 |
|-----|-----|-----|-----|-----|-----|-----|
| S76 | 74 | identify$3 with fault$2 with stage . | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 15:03 |
| S77 | 0 | determin$3 with provid$3 with (logical adj data adj path) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 15:05 |
| S78 | 0 | provid$3 with (logical adj data adj path) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 15:04 |
| S79 | 95 | (logical adj data adj path) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 15:04 |
| S80 | 69 | determin$3 with provid$3 with ( data adj path) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 15:13 |
| S81 | 2 | "4908819".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 15:15 |
| S82 | 0 | software adj module with (provid$3 adj2 (data adj path)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 15:15 |

| S83 | 22 | remote adj software adj module | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 17:34 |
|---|---|---|---|---|---|---|
| S84 | 0 | check$3 with ((end adj2 end) adj2 continuity with communication$1) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 17:44 |
| S85 | 0 | determin$3 with software with (provide$3 adj2 (data adj path)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 17:45 |
| S86 | 0 | software with (provide$3 adj2 (data adj path)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/03/15 17:45 |
| S87 | 0 | output$3 with (status adj code) and (provide with path) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/04/07 10:30 |
| S88 | 220 | output$3 with (status adj code) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/04/07 10:56 |
| S89 | 1 | S88 and detect$3 with ((bad or deficient) adj2 software) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/04/07 10:31 |
| S90 | 0 | S88 and detect$3 with ((bad or deficient) adj2 module) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/04/07 10:31 |
| S91 | 0 | output$3 with (status adj code) and provide with (logic$3 adj2 path) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/04/07 10:56 |
| S92 | 0 | provide with (logic$3 adj2 path) | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/04/07 10:57 |
| S93 | 3841 | detect adj fault | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/04/07 10:57 |
| S94 | 52 | (detect adj fault) with software | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/04/07 10:58 |

| S95 | 653 | remote adj software | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 15:47 |
|-----|-----|---------------------|----------------------------------------------|-----|-----|-------------------|
| S96 | 5 | remote adj software and remote adj data adj system | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 15:47 |
| S97 | 5 | remote adj software and (remote adj data adj system) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 15:48 |
| S98 | 71 | remote adj software and (data adj processing adj system) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 15:57 |
| S99 | 392 | remote adj data adj processing adj system | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 15:58 |
| S100 | 37 | S99 and software adj module$1 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:39 |
| S101 | 5 | "09151270" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:43 |
| S102 | 2 | "6772419".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/07 16:43 |

| S10 3 | 1555 | transmit$3 with (status adj (message$1 or code$1)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 14:54 |
|---|---|---|---|---|---|---|
| S10 4 | 359 | S103 and receiv$3 adj2 (status adj (message$1 or code$1)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 14:54 |
| S10 5 | 5 | S104 and input$3 adj2 (status adj (message$1 or code$1)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 15:30 |
| S10 6 | 80 | S104 and feedback | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 16:55 |
| S10 7 | 11 | (pass$3 or transmit$3 or send$3) adj2 (status adj (code$1 or message$1)) with (communication adj network) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 17:01 |
| S10 8 | 2359 | (communication adj network) adj2 operat$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 17:02 |
| S10 9 | 27 | S108 and (pass$3 or send$3 or transmit$3) with (status adj (code or message)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 17:31 |
| S11 0 | 1 | (stor$3 adj2 (status adj code)) with dummy | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 17:32 |

| S111 | 1 | stor$3 with (dummy adj transaction) with database | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 17:33 |
|---|---|---|---|---|---|---|
| S112 | 2 | (dummy adj transaction) with database | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 17:33 |
| S113 | 5 | tapping adj2 (data adj path) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 19:09 |
| S114 | 0 | tapping adj2 (logic adj path) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 19:09 |
| S115 | 11 | tapping with (data adj path) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 19:11 |
| S116 | 57 | tap$4 near2 (data adj path) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 19:11 |